



## CenoBots Autonomous Scrubber Dryer L4

Clean Like A Pro

Retail

Healthcare

Hospitality

Shopping Mall

Office Building

# Compact Yet Productive

The L4 is more than just compact; it's a dynamic solution tailored for crowded environments. Featuring advanced edge cleaning technology with a distance from the wall of less than 1.2in/3cm, the L4 ensures thorough cleaning in every nook and cranny. With an impressive 43.3in/1100mm turn-around width, it effortlessly navigates tight spaces, ensuring easy passage through crowded aisles. This exceptional adaptability, combined with a 10gal/38L solution tank and a 17.7in/450mm cleaning width, guarantees optimal performance. The L4 is the perfect companion for challenging and bustling environments.

**10gal/38L**

solution tank

**17.7in/450mm**

cleaning width

**1.2in/3cm**

distance from the wall

**31.9in/810mm**

passable width


**43.3in/1100mm**

turning-around width



# Intelligent Cleaning at Your Fingertips

Experience the epitome of effortless intelligent cleaning with the L4 Autonomous Scrubber Dryer, empowered by the formidable Nvidia processing AI chip with 100 TOPS AI performance. With the simple flick of a finger on its user-friendly mobile app and 10.1 inch touch screen, achieve unparalleled adaptability and seamless control. The L4's advanced stain and liquid detection capability, driven by its powerful AI features, ensures a thorough and targeted cleaning approach, redefining your cleaning standards with unprecedented intelligence and adaptability. Access the future of cleaning through the L4, where smart cleaning is just a fingertip away.



**100 TOPS**

AI performance



Mobile App

**10.1 inch**

Touch Screen



Stain perception

# Unmatched Safety Assurance

The L4 is fortified with a safety shield powered by multiple sensors - 32-beam 3D LiDAR, 3D depth cameras, and a bumper sensor. Combined with Cenobot's robust algorithms, these sensors create an impenetrable safety net, ensuring the L4 navigates with precision and avoids obstacles seamlessly. Trust in the L4 for a cleaning experience that prioritizes safety without compromise.

**492ft/150m**

32-beam 3D LiDAR  
detection range

**Protruding**

object detection

**Low object**

$\leq 1.2\text{in}/3\text{cm}$

**Cliff**

detection



# Streamlined Maintenance Excellence

The L4 introduces a revolutionary workstation, extending cleaning autonomy 24/7 and significantly reducing maintenance efforts. This intelligent workstation autonomously re-fills water/detergent and charges the robot, ensuring optimal performance without manual intervention. With features like a magnetic brush, swift 30-second squeegee blade replacements, and a large opening water tank, the L4 guarantees a hassle-free and efficient cleaning experience.

✔ Workstation

✔ Magnetic brush

✔ 30s squeegee blades replacement

✔ Large opening water tank




## Sustainability

The L4 pioneers sustainability with an advanced water saving system, reducing water and detergent usage. It can adjust the water flow according to the speed. It's not just cleaning; it's responsible cleaning.

Smart Flow

reduction in water and detergent



# SPECIFICATIONS

| DIMENSIONS                    |                                                        |
|-------------------------------|--------------------------------------------------------|
| Length                        | 31.9 in   810 mm                                       |
| Width ( w/o squeegee)         | 24.2 in   615 mm                                       |
| Height                        | 42.3 in  1075 mm                                       |
| Weight                        | 331 lbs   150 kg                                       |
| Cleaning Width                | 17.7 in   450 mm                                       |
| Squeegee Width                | 29.1 in   740 mm                                       |
| CLEANING                      |                                                        |
| Max. Theoretical Productivity | 20925 ft²/hr   1944 m²/hr                              |
| Brush Pressure                | 55 lbs   25 kg                                         |
| Brush Speed                   | 270 RPM                                                |
| Solution Tank Capacity        | 10 gal   38 L                                          |
| Recovery Tank Capacity        | 9.5 gal   36 L                                         |
| MOVEMENT                      |                                                        |
| Max. Speed                    | 2.68 mph   1.2 m/s                                     |
| Min. Distance from Wall       | 1.2 in   3 cm                                          |
| Min. Passable Width           | 31.9 in   810 mm                                       |
| Min. Turn-around Width        | 43.3 in   1100 mm                                      |
| Gradeability                  | 8%                                                     |
| POWER                         |                                                        |
| Battery Type                  | LFP                                                    |
| Battery Capacity              | 70 Ah                                                  |
| Rated Voltage                 | 24 VDC                                                 |
| Charging Time                 | 2.7 hrs                                                |
| Max. Runtime                  | 4.5 hrs                                                |
| SAFTEY FEATURES               |                                                        |
| Sensing                       | 3D LiDAR, 3D Depth Camera, Bumper Sensor, IMU Sensor   |
| SOUND PRESSURE LEVEL          | At least as 66 dB ( A )                                |
| KEY COMPONENTS                |                                                        |
| Process Chip                  | Nvidia processing chip with 100 TOPS of AI performance |
| Localization Sensor           | 3D LiDAR with 492ft/150m detection range               |

**CenoBots**  
HQ:140 Robinson Rd, Singapore, 068907  
USA: 815 Brazos St, Austin, Texas, 78701  
Website: [www.cenobots.com](http://www.cenobots.com)  
Email:[info@cenobots.com](mailto:info@cenobots.com)

